

Bulk Mineral Product Handling Facilities Air Permit by Rule (PBR) Checklist Title 30 Texas Administrative Code § 106.144

Check the most appropriate answer and include any additional information in the spaces provided. If additional space is needed, please include an extra page and reference the rule number. The PBR forms, tables, checklists, and guidance documents are available from the TCEQ, Air Permits Division Web site at: www.tceq.state.tx.us/permitting/air/nav/air_pbr.html.

This PBR (§ 106.144) requires registration with the commission's Office of Permitting, Remediation, and Registration in Austin before construction begins. Registration of the facility can be performed by completing a Form PI-7, "Registration for Permits by Rule," or Form PI-7-CERT "Certification and Registration for Permits by Rule." This checklist should accompany the registration form.

CHECK THE MOST APPROPRIATE ANSWER AND FILL IN THE BLANKS BELOW				
Rule	Question/Description	Information	Response	
	Will the facility only handle bulk minerals?	List all materials handled:	☐ YES ☐ NO	
	If "YES," list the materials handled. If "NO," this facility does not qualify for this PBR.			
	Note: Attach an additional sheet if necessary.			
	Will the facility handle asbestos?		YES NO	
(1)	Will all materials be transported in a closed conveying system?		YES NO	
(1)	What type of filter is used?	Indicate type:		
(1)	What is the maximum filtering velocity of the fabric filter?	Filter velocityft/min		
	Note: Please complete a <u>Table 11</u> for fabric filters.			
(1)	What method is used to clean the fabric filter?	Indicate method:		
(2)	Are all permanent in-plant roads treated as necessary to achieve maximum control of dust emissions?	Check all that apply: watered treated with dust suppressant chemicals oiled paved and cleaned	☐ YES ☐ NO	
(2)	Are all vehicle work areas treated as necessary to achieve maximum control of dust emissions?	Check all that apply: watered treated with dust suppressant chemicals oiled paved and cleaned	☐ YES ☐ NO	



Bulk Mineral Product Handling Facilities Air Permit by Rule (PBR) Checklist Title 30 Texas Administrative Code § 106.144

CHECK THE MOST APPROPRIATE ANSWER AND FILL IN THE BLANKS BELOW				
Rule	Question/Description	Information	Response	
(3)	What is the distance from the facility (including associated stationary equipment and stockpiles) to the nearest recreational area, residence or other structure not occupied or used solely by the owner of the facility or owner of the property upon which the facility is located?	Distance:ft.		
(4)	Do you understand that an authorization letter must be received from the commission before construction of the facility begins?		☐ YES ☐ NO	
(4)	Did you provide Form PI-7 or Form PI-7 CERT as part of this registration request?	Form PI-7 Form PI-7 CERT	☐ YES ☐ NO	
	Other Applicable Rule and Regulations	Why or Why Not?	Response	
	Is the facility subject to 40 CFR Part 60, NSPS Subpart F?		☐ YES ☐ NO	
	Is the facility subject to 40 CFR Part 60, NSPS Subpart Y?		☐ YES ☐ NO	
	Is the facility subject to 40 CFR Part 60, NSPS Subpart LL?		☐ YES ☐ NO	
	Is the facility subject to 40 CFR Part 60, NSPS Subpart UUU?		YES NO	
	Is the facility subject to 40 CFR Part 60, NSPS Subpart OOO?		YES NO	

Record Keeping: There are no additional record keeping requirements other than the general requirements specified in 30 TAC § 106.8. The records must be made available immediately upon request to the commission or any air pollution control program having jurisdiction. If you have any question about the type of records that should be maintained, contact the Air Program in the TCEQ Regional Office for the region in which the site is located.

<u>Recommended Calculation Methods</u>: In order to demonstrate compliance with this PBR, the registrant may use the emission factors for each air contaminant from the EPA Compilation of Air Pollutant Emission Factors (AP-42), Fifth Edition, volume 1, Chapter 11, Section 11.19.1: Gravel Processing or Section 11.19.2: Crushed Stone Processing at: www.epa.gov/ttn/chief/ap42/index.html.